

## **CERTIFICATE OF ANALYSIS – TECHNICAL DATA SHEET**

## **Product name** Map44, Human, clone 2D5B6

Catalog number	HM2296		
Lot number	-	Expiry date	-
Volume	1 ml	Amount	100 µg
Formulation	0.2 $\mu m$ filtered in PBS+0.1%BSA+0.02%NaN3	Concentration	100 μg/ml
Host Species	Mouse IgG2a	Conjugate	None
Endotoxin	N.A.	Purification	Protein G
Storage	4°C		

## **Application notes**

	IHC-F	IHC-P	IF	FC	FS	IA	IP	W
Reference #						1	1	1
Yes						•	•	•
No								
N.D.	•	•	•	•	•			

N.D.= Not Determined; IHC = Immuno histochemistry; F = Frozen sections; P = Paraffin sections; IF = Immuno Fluorescence; FC = Flow Cytometry; FS = Functional Studies; IA = Immuno Assays; IP = Immuno Precipitation; W = Western blot

Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. For functional studies, in vitro dilutions have to be optimized in user's experimental setting.

## **General Information**

Description	The monoclonal antibody 2D5B6 reacts specifically with human MAp-44, a protein of approximately 44kDa, which encoded by an alternatively spliced mRNA of the MASP-1 gene. Up to now 5 MASP proteins have been identified (MASP-1, MASP-2, MASP-3, MAp19 and MAp44) which are encoded by 2 genes. The MASP-2 gene gives rise of MASP2 and MAp19 due to alternative splicing, whereas the MASP-1 gene encodes a primary transcript which can be spliced to three different mRNAs coding for MASP-1, MASP-3 and MAp44. On the protein level MASP-1 and MASP- are shown to be responsible for complement activation through proteolytic cleavage of C2 and C4, whereas MASP- has been suggested to inhibit the generation of the C3 convertase. So far the role of MAp44 remains elusive. However recent research have shown that patients suffering from colorectal cancer have increased levels of MAp44 upo surgery as compared to Map44 levels in normal sera. The monoclonal antibody 2D5B6 is suitable for immunohistochemistry, western blotting as well as use in immunoassays.	
Immunogen	MAp44 specific peptide.	
References	1. Degn, S et al, Biological variations of MASP-3 and MAp44, two splice products of the MASP1 gene involved in regulation of the complement system. J Immunol Meth 2010 361:37	
Storage&stability	Product should be stored at 4°C. Under recommended storage conditions, product is stable for at least one year.	
Precautions	For research use only. Not for use in or on humans or animals or for diagnostics. It is the responsibility of the user comply with all local/state and federal rules in the use of this product. Hycult Biotech is not responsible for any pate infringements that might result from the use or derivation of this product.	

We hereby certify that the above-stated information is correct and that this product has been successfully tested by the Quality Control Department. This product was released for sale according to the existing specifications. This document has been produced electronically and is valid without a signature.

Approved by Manager of QC
Robbert Zwinkels

Date 17/04/2018

Do you have any questions or comments regarding this product? Please contact us via support@hycultbiotech.com.