

CERTIFICATE OF ANALYSIS – TECHNICAL DATA SHEET

Product name	CD11b, Human, clone Bear-1, FITC conjugated		
Catalog number	HM2125F-100UG		
Lot number	-	Expiry date	-
Volume	1 ml	Amount	100 µg
Formulation	0.2 µm filtered in PBS+1%BSA+0.02%Na ₃	Concentration	100 µg/ml
Host Species	Mouse IgG1	Conjugate	FITC
Endotoxin	N.A.	Purification	Protein G
Storage	4°C		

Application notes

	IHC-F	IHC-P	IF	FC	FS	IA	IP	W
Reference #								
Yes	•			•			•	
No		•						
N.D.			•		•	•		•

N.D.= Not Determined; IHC = Immuno histochemistry; F = Frozen sections; P = Paraffin sections; IF = Immuno Fluorescence; FC = Flow Cytometry; FS = Functional Studies; IA = Immuno Assays; IP = Immuno Precipitation; W = Western blot

Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:10.

General Information

Description	CD11b is an alpha chain integrin that is expressed as heterodimer noncovalently associated with CD18. CD11b is also designated as CR3, Mac-1, Mo-1 in integrin alphaM subunit and has a molecular weight of 165-170 kDa. The protein mediates PMN and monocytes adherence to endothelium and subsequently PMN extravasation to sites of inflammation. CD11b/CD18 interacts with both matrix and cell surface proteins including the complement component iC3b, extracellular matrix proteins and the third extracellular domain of CD54. CD11b is expressed on human NK-cells, monocytes, granulocytes, T-cells, B-cells and dendritic cells. After activation the expression is upregulated. Bear-1 reacts with the CD11b alpha chain of the CD11b/CD18 (p165, 95) integrin heterodimer complex.
References	<ol style="list-style-type: none"> Keizer, G et al; Biochemical and functional characteristics of the human leukocyte membrane antigen family LFA-1, Mo-1 and p150,95. Eur J Immunol 1985, 15: 1142 Watanabe, A et al ; Effects of anti-CD11a, anti-CD11b and anti CD18 on histamine release from human basophils primed with IL-3. Int Arch Allergy Immunol 1992, 98: 308
Storage&stability	Product should be stored at 4°C. Under recommended storage conditions, product is stable for at least one year.
Precautions	For research use only. Not for use in or on humans or animals or for diagnostics. It is the responsibility of the user to comply with all local/state and federal rules in the use of this product. Hycult Biotech is not responsible for any patent infringements that might result from the use or derivation of this product.

We hereby certify that the above-stated information is correct and that this product has been successfully tested by the Quality Control Department. This product was released for sale according to the existing specifications. This document has been produced electronically and is valid without a signature.

Approved by Manager of QC
Brenda Teunissen

Date
02/12/2019

Do you have any questions or comments regarding this product? Please contact us via support@hycultbiotech.com.