

Tools for complement research

Together, we improve health. Collaborate to achieve success, your goal is our goal.

General introduction

Hycult Biotech is a leading world-class manufacturer of research reagents in the field of innate immunity. Your partner in high-quality assays, antibodies, proteins and services.

Complement

The complement system is not only central to innate immune responses but is also a dominant player in adaptive immunity. Damage-associated molecular patterns (DAMPs) are translated into cellular responses through interaction with specific receptors on distinct cells. Among these are pattern-recognition receptors (PRRs) which identify pathogen associated molecular patterns (PAMPs) and endogenous danger signals, e.g. apoptosis related membrane fragments. Complement components like C1q, C3 and the collectin mannose-binding lectin (MBL) are essential soluble danger sensing proteins that are activated by both endogenous and exogenous stimuli.



Looking for other products related to complement?

Visit our website www.hycultbiotech.com


Validated ELISA kit sample types:

BF: Bronchoalveolar fluid (BAL) **CF:** Cerebrospinal fluid

CS: Cell culture supernatant F: Feces Other P: Plasma O: S: Serum SA: Saliva Synovial fluid SF: SP: Sputum

U: Urine **TH:** Tissue homogenate

ELISA kits for human		
Product name	Sample types	Cat. #
C1-INH	PS	HK396
C1s/C1-INH	PS	HK399
C1q	BF P S	HK356
C3	PS	HK366
C3a	BFPSU	HK354
C3c	PS	HK368
C4c	PS	HK397
C5	PS	HK390
C5a	PS	HK349
Coagulation factor XII	PS	HK373
Collectin-10	PS	HK364
Complement factor B	PS	HK367
Complement factor D	PSU	HK343
Complement factor H	PSU	HK342
Complement factor I	PSU	HK355
Factor H, 402H/Y variant detection	PS	HK353
Ficolin-1	PS	HK357
Ficolin-2	CS P S	HK336
Ficolin-3	CS P S	HK340
gC1qR	PS	HK362
MAp44	PS	HK359
MASP-1/C1-INH	PS	HK3001
MASP-2	CS P S	HK326
MASP-3	PS	HK339
MBL	CS P S	HK323
Properdin	BF CF P S U	HK334
sCD59	PS	HK374
SP-D	BF CS P	HK335
TCC	CF CS P SF U	HK328



C4d in human tonsil. Staining of frozen section with clone 12D11 (Cat. # HM2229)

Looking for other products related to complement?

Visit our website www.hycultbiotech.com

ELISA kits fot mouse, rat and pig				
Product name	Sample types	Cat. #		
Mouse C1q	P/S	HK211		
Mouse C3b	PS	HK216		
Mouse C4	P	HK217		
Mouse Alternative pathway	PS	HIT422		
Mouse Classical pathway	PS	HIT420		
Mouse Lectin pathway	PS	HIT421		
Pig Alternative pathway	P/S	HIT432		
Pig Classical pathway	PS	HIT430		
Pig Lectin pathway	PS	HIT431		
Pig C5a	PS	HK701		
Rat Alternative pathway	PS	HIT412		
Rat Classical pathway	PS/	HIT410		
Rat Lectin pathway	P/S	HIT411		
Rat TCC	PS	HK106		

Can't find the sample type you want for an ELISA kit?

Ask the support team to assist you with your research needs on support@hycultbiotech.com

Validated antibody applications:

F: Frozen sections	FC: Flow cytometry
FS: Functional studies	IA: Immunoassay
IF Immunofluorescence	IP: Immunoprecipitation
P: Paraffin sections	W: Western blot

Want to try antibodies?

Antibodies can also be purchased at 20 µg vial sizes.

Antibodies to human (several c	quantities available, see website	e)	
Product name	Clone	Applications	Cat. #
Activated C1s	M241	F FC FS IA IP P W	HM2109
Activated C3	рне	FIA	HM2168
Activated C3	13/15	IA W	HM2257
C1-INH	15/12	IA W	HM2411
C1q	JĽ-1	FS IA IF W	HM2382
C1s	M81	F FC FS IA IP P W	HM2108
C1s	10/12	FS IA W	HM2412
C2/	pAb	IA IP W	HP9066
C3 (beta-chain)	169.5	W	HM2377
C3/C3a	2898	IA W	HM2075
C3/C3a	474	IA W	HM2073
C3/C3b	755	IAW	HM2072
C3/C3b/iC3b (alpha-chain)	18.1	IAW	HM2389
C3/C3b/iC3b/C3c	C3-16.4	FS IA	HM2401
C3a/C3a des Arg	2991	IAW	HM2074
C3aR	17	FC F	HM2195
C3b/iC3b	3E7	FC FS IF	HM2286

Antibodies to human (sever	al quantities available, s	ee website)	
Product name	Clone	Applications	Cat. #
C3b/iC3b	5G9	FS	HM2285
C3b/iC3b/C3d	1H8	FC IP W	HM2287
C3b/iC3b/C3c	C3-42.3	FS IA W	HM2394
iC3b/C3dg/C3d	C3-12.2	IA W	HM2395
C3c	4	IP	HM2200
C3c	F1-4	IA IP W	HM2318
C3d	HB2C2	IAIPW	HM2422
C3d	3	IA IP	HM2198
C3g	9	IA IP	HM2199
C4c	99-72-18	IA IP W	HM2399
C4d	12D11	F FC IA W	HM2229
C4d	7H4	FIAW	HM2230
C5	10B6	FS IA IF W	HM2414
C5/C5a	557	FS IA W	HM2077
C5/C5a	561	FSIA	HM2076
C5/C5b	568	IA W	HM2080
C5a/C5a des Arg	2942	F FS IA W	HM2078
C5a/C5a des Arg	2952	F FS IA W	HM2079
C5aR	S5/1	F FC FS P W	HM2094
C5aR	W17/1	FC F P	HM2095
C5L2	pAb	FC F IF W	HP9036
C6	WU6-4	FC FS IA IF IP P W	HM2276
C7	WU4-15	FC IA IF IP W	HM2277
C9	X197	FC F FS IA P W	HM2111
C9 neoantigen	WU13-15	FC F IA P W	HM2264
CD11b	Bear-1	FC F IP	HM2125
CD35 (C1R)	31R	FC F IA IP P W	HM2107
CD46	M177	FC FS IA IP W	HM2103
CD59	MEM-43	FC IP W	HM2120
CFHR1-2	JHD-7.10.1	IA	HM2301
Coagulation factor XII	10-11-1937	IA W	HM2322
Collectin-10	4F9D7	IA W	HM2356
Complement factor B/Bb	M13/12	IA IP W	HM2256
Complement factor B/Ba	M20/6	IA IP W	HM2255
Complement factor B/Ba	P21/15	IAIPW	HM2254
Complement factor Ba neo-epitope	D22/3	IA W	HM2379
Complement factor D	D10/4	IA	HM2258
Complement factor D	18/1	IA	HM2259
Complement factor H	C18/3	IA W	HM2248
Complement factor H	L20/3	IA W	HM2249
Complement factor I	1C11	IA W	HM2320
Complement factor I	MBI-1	IA W	HM2319

Antibodies to human (seve	eral quantities available, se	ee website)	
Product name	Clone	Applications	Cat.#
CD55	D17 /	FC W	HM2105
CD55	1C6	FC FS IA W	HM2280
FHR4	pAb	IAW	HP9058
Fiçolin-1	7G1	FC IA W	HM2196
Ficolin-2	GN4	F IA IP	HM2090
Ficolin-2	GN5	FIAIPW	HM2091
Ficolin-3	4H5	F IA IP	HM2089
gC1qR	60,11	FC FS IA IP P W	HM2014
gC1qR	74.5.2	FC FS IA IF IP W	HM2015
MAP44	2D5B6	IAIPPW	HM2296
MASP-1	4H2A9	IA /	HM2297
MASP-1	3/3	IA W	HM2408
MASP-1	100/10	IA W	HM2409
MASP-1/3	1E2	IA IP W	HM2092
MASP-1/3	2B11	IA IP W	HM2093
MASP-2	8B5	IA W	HM2190
MASP-2/MAp19	6G12	IA W	HM2191
MASP-3	38:12-3	IA W	HM2216
MBL	3É7 /	FC FS IA	HM2061
Pro SP-C	pAb	FPW	HP9050
Properdin	1G6D2	FS IA W	HM2354
Properdin	2.9	IA /	HM2282
Properdin	3A3E1	FS IA W	HM2355
Properdin	SIM 295-9.4.3	F FC IA W	HM2283
SP-B	pAb	FPIAW	HP9049
TCC	αE11	FC FS IA IF P	HM2167

Antibodies to Mouse				
Product name	Clone	Applications	Cat. #	
C1q	7H8	FIAIF	HM1044	
C1q	JL-1	F FS IA IF W	HM1096	
C3	11H9	FC F IA IF W	HM1045	
C3	pAb	FIFPW	HP8012	
СЗа	3/11	FC FS IA W	HM1072	
C3aR	14D4	FC F	HM1123	
C3b/iC3b/C3c	2/11	FC F FS IA IF W	HM1065	
C3b/iC3b/C3c	3/26	FC F FS IA IF W	HM1078	
C4	16D2	IA IF IP W	HM1046	
C4d	pAb	FC F P W	HP8033	
C5	BB5.1	F FS IA IF IP P	HM1073	
C5	pAb	W	HP8013	
C5aR	10/92	FC F W	HM1077	
C5aR	20/70	FC FS IF	HM1076	
C5L2	pAb	FS FC	HP8015	
C6	pAb	FW	HP8014	
С9	C9-6-25-5	W	HM1134	
CD46	MM10	FC F IA IF W	HM1118	
CD55	3D5	FC IA P W	HM1115	
CD59a	7A6	FC F FS IA IF W	HM1116	
CR1/CR2	7E9	FC IF IP W	HM1112	
Crry/p65	8A/E6	IA IF W	HM1117	
Factor H	1A2	FIAW	HM1119	
MBL-A	2B4	IA W	HM1036	
MBL-A	8G6	F IA IF W	HM1035	
MBL-C	14D12	FIAIFW	HM1038	
MBL-C	16A8	IA W	HM1037	
Properdin	E12	FS IA W	HM1138	
Properdin	H4	FS IA IF W	HM1139	

Need a custom formulation?

Ask us and we will advise you on the possibilities.

Want a conjugated antibody?


Visit our website to see all available formats.

Product in bulk quantity?


Contact us for a customized quotation.

Antibodies to Rat			
Product name	Clone	Applications	Cat. #
C1q	pAb	F IA IP	HP8021
C3	pAb	IA W	HP8022
C3/C3b	2B10B9B2	IAW	HM3031
C3aR	74	FC F	HM3028
C4	pAb	IA IP	HP8023
C4d	pAb	FCFPW	HP8034
C5	4G2	F FS IF W	HM3044
C5aR	R63	FC F IF IA W	HM3017
C5b-9	2A1	FC F IA IF P	HM3033
C5l/2	pAb	FC FS	HP8018
C6	3G11	FIAW	HM3034
CD46	MM1	FIAIFW	HM3038
CD59 Glycoprotein	TH9	FC F FS W	HM3037
Crry	TLD-1C11	FC F FS IA IF W	HM3032
CD55	RDII-24	FC F FS IA IP W	HM3036
CD55	RDIII-7	FC F FS IF W	HM3035
SP-D	IIIH3	IAPW	HM3022
SP-D	IVG8	IAPW	HM3024
SP-D	VIF9	IAPW	HM3023

Antibodies to Pig	<i>`</i>	,	
Product name	Clone	Applications	Cat. #
C3	pAb	FC /	HP7003
CD55	PD2	FC FS IA W	HM4014
SP-B	pAb	/A W	HP7002



C5 in human brain tissue. Staining of frozen section with clone BB5.1 (Cat. # HM1073)




C4d in mouse heart tissue. Staining of paraffin section with polyclonal antibody (Cat. # HP8033)

Human proteins and peptides				
Product name	Quantity	Cat.#		
C1, Natural	200 μg	HC2122		
C1q, Natural	1 mg	HC2143		
C2, Natural	50 μg	HC2124		
C3, Natural	250 μg	HC2125		
C3a, Natural	50 μg	HC2126		
C3a des Arg, Natural	50 μg	HC2127		
C4, Natural	250 μg	HC2128		
C5, Natural	200 μg	HC2141		
C5a, Recombinant	50 μg	HC2101		
C5a des Arg, Rec.	50 μg	HC2102		
C5L2, Peptide	10 μg	HC2103		
C9, Natural	250 μg	HC2142		
Complement factor B, Natural	250 μg	HC2129		
Complement factor H, Natural	250 μg	HC2130		
Complement factor I, Natural	100 μg	HC2131		
Properdin, Natural	100 μg	HC2132		



C6 in rat kidney tissue. Staining of frozen section with clone 3G11 (Cat. # HM3034)




C4d in mouse kidney tissue. Staining of paraffin section with polyclonal antibody (Cat. # HP8033)

Proteins and peptides to other species			
Product name	Species	Quantity	Cat. #
C5a, Recombinant	Mouse	50 μg	HC1101
C5a des Arg, Recombinant	Mouse	50 μg	HC1102
C5L2, Peptide, Recombinant	Rat	10 μg	HC3103
Cobra Venom Factor, Recombinant		50 μg	HC4073

Headquartered in the Netherlands with a sales office in the USA, Hycult Biotech has a distribution network with over 45 distributors worldwide.

We believe technical support is a necessity when using our products or when looking into buying them for your research needs. For this you can always contact our dedicated support team directly on support@hycultbiotech.com





What we stand for

- In-house development, production of antibodies and assays
- High quality products for reliable measurements and reproducibility
- Specialized, independent and professional support
- Experts in complement
- Collaboration in scientific projects

Let's improve health

www.hycultbiotech.com



Even though the information provided here is verified and believed to be accurate, there is always a chance that it is imprecise or may be outdated. Please make sure to visit our website www.hycultbiotech.com for the most recent product information and news.

Hycult Biotech
Frontstraat 2a
5405 PB Uden
The Netherlands
T +31 (0)413 251335
F +31 (0)413 248353
E info@hycultbiotech.com

Hycult Biotech Inc. 600 West Germantown Pike Suite 110, Plymouth Meeting PA 19462, USA T +1 855 2492858 F +1 484 3683558 E orders-us@hycultbiotech.com Hycult Biotech is distributed by: